


pressure drop **VARIO** Ø 50 PN20 double-U (2 circles in parallel)
with ethylene glycol 25% @ 0°C



— 3000 l/h @ 0.32 - 0.35 m/s	18.878	20.076	21.347	22.698	24.088	25.477	26.867	28.257	29.647	31.036	32.426	33.816	35.205	36.595
— 3600 l/h @ 0.38 - 0.42 m/s	25.989	27.637	29.387	31.246	33.158	35.070	36.982	38.894	40.806	42.718	44.630	46.542	48.454	50.366
— 4200 l/h @ 0.45 - 0.49 m/s	34.054	36.214	38.505	40.940	43.444	45.948	48.452	50.956	53.460	55.964	58.469	60.973	63.477	65.981
— 4800 l/h @ 0.51 - 0.56 m/s	43.039	45.767	48.663	51.739	54.902	58.065	61.229	64.392	67.555	70.718	73.882	77.045	80.208	83.371
— 5400 l/h @ 0.57 - 0.63 m/s	52.914	56.267	59.826	63.607	67.494	71.381	75.268	79.156	83.043	86.930	90.818	94.705	98.592	102.480
— 6000 l/h @ 0.64 - 0.70 m/s	63.652	67.685	71.965	76.512	81.187	85.861	90.535	95.210	99.884	104.559	109.233	113.907	118.582	123.256
— 6600 l/h @ 0.70 - 0.78 m/s	75.233	79.998	85.056	90.429	95.952	101.475	106.998	112.521	118.044	123.566	129.089	134.612	140.135	145.658